ELSEVIER

Journal of Inorganic Biochemistry 95 (2003) 343

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Author Index of Volume 95

Adrover, B., 77
Afrasiabi, Z., 306
Aime, S., 64
Akman, S.A., 87
Ali, A.E., 141
Anson, C.E., 249
Anson, C.E., 306
Apostolova, M.D., 321
Ardissone, S., 171
Ascenzi, P., 64

Balaraman, M., 47
Baroni, S., 64
Beattie, J.H., 321
Bergamo, A., 37
Berkesi, O., 55
Bigi, A., 291
Bjerrum, M.J., 113
Boanini, E., 291
Bontchev, P.R., 321
Bose, R.N., 231
Bracci, B., 291
Brito, F., 283
Buglyó, P., 199
Bukovec, N., 105
Buschmann, R., 97

Cao, R., 283
Carvalho, S., 14
Cecconi, F., 131
Čemažar, M., 105
Cesar, E.T., 297
Chikaraishi Kasuga, N., 208
Cinti, E., 221
Crans, D.C., 1
Croft, S.L., 249
Crumbliss, A.L., 240

da Silva Santos, J.M., 14
Dai, J., 87
D'Amelio, N., 225
Davies, W., 249
Day, B.J., 240
de Almeida, M.V., 297
de Castro Antunes Felício, E., 297
Díaz, A., 283
Dizdaroglu, M., 87
Domínguez, S., 131
Duarte, H.A., 14
Dubler, E., 97
Dutta, S., 306

Espinosa, E., 77

Falini, G., 291
Fasano, M., 64
Ferrari, R.P., 171
Ferruzza, S., 221
Fiol, J.J., 77
Flaherty, M.M., 240
Fontani, M., 37
Fontes, A.P.S., 297
Franconi, F., 315
Frausin, F., 259
Furlani, A., 259

Gaggelli, E., 225
Gaggelli, N., 225
García-Raso, Á., 77
Garnier-Suillerot, A., 297
Ghibaudi, E., 171
Ghilardi, C.A., 131
Gillman, I.G., 87
Gokhale, N.H., 249
Golobič, A., 199
González-Vergara, E., 131
Grabner, S., 105
Grepioni, F., 315
Guo, J.-H., 124

Hambley, T.W., 165
Hasinoff, B.B., 157
He, X.-W., 124
Huang, Y., 194

Ivanova, B.B., 321

Jakusch, T., 1
Jakusch, T., 69
Ji, L.-N., 194
Jin, W., 1

Kachadourian, R., 240
Kato, C., 208
Kawabe, K., 69
Kendrick, H.D., 249
Kiss, E., 69
Kiss, T., 1
Kiss, T., 69
Klavžar, A., 199
Košmrlj, J., 105
Kowalik-Jankowska, T., 270
Kresinski, R.A., 149
Łankiewicz, L., 270

Laurenti, E., 171
Leonardi, G., 221
Liang, H., 124
Liu, J.-H., 194
Liu, J.-Z., 194
Lu, L.-P., 31
Lyons, J.G., 165

Mancini, F., 225
Manderville, R.A., 87
Marcon, G., 37
Masoud, M.S., 141
Mata, I., 77
Mattu, M., 64
Mederos, A., 131
Mederos, A., 283
Mehandjiev, D.R., 321
Merry, S., 149
Messori, L., 37
Methenitis, C., 177
Min, D., 165
Mohammed, A.K., 87
Molins, E., 77
Molteni, E., 225
Moreno, V., 77
Moya-Hernández, M.R., 131
Mura, P., 37

Nachev, C.K., 321
Nair, B.U., 334
Newton, C., 306
Nikolis, N., 177
Nishad Fathima, N., 47
Noftle, R.E., 87
Noguchi, R., 208
Nomiya, K., 208

Ohyama, K., 208
Orioli, P., 37
Orlandini, A., 131
Ortiz, M., 283

Padhye, S., 306
Padhye, S., 306
Padhye, S.B., 249
Paniago, E.B., 14
Park, G., 87
Patel, M., 240
Pereira Maia, E.C., 297
Pihlar, B., 199
Platt, A.W.G., 149
Pneumatikakis, G., 177
Powell, A.K., 249
Powell, A.K., 306
Predieri, G., 221

Raghava Rao, J., 47
Rasmussen, B.W., 113
Rehder, D., 199
Ren, X.-Z., 194
Rodriguez, H., 87
Rojas-Hernández, A., 131
Rúbia Costa Couri, M., 297
Rubini, K., 291
Russell, W.R., 321
Ruta, M., 270

Sagami, I., 25
Sakurai, H., 69
Sánchez, I., 283
Sanchiz, J., 283
Sava, G., 37
Scarcia, V., 259
Schmalle, H.W., 97
Sepčić, K., 199
Shaban, N.Z., 141
Shen, X.-C., 124
Shimizu, T., 25
Sinn, E., 306
Sipos, P., 55
Song, C., 124
St. Pierre, T.G., 55

Tamura, A., 69
Tegoni, M., 221
Tolis, E., 199
Tombácz, E., 55
Turel, I., 199
Tušek-Božić, L., 259

Underwood, C.K., 165
Unni Nair, B., 47

Vaidyanathan, V.G., 334
Valensin, D., 225
Valensin, G., 225

Wade Calcutt, M., 87
Weaver, E.L., 231
Webb, J., 55
Wedgwood, J.L., 149
Wiśniewska, K., 270

Xu, H., 194

Yadav, J., 25
Yamamoto, S., 208
Yang, L., 1
Yang, P., 31
Yokoyama, H., 208
Yuan, Yu.-Z., 124

Zanello, P., 37
Zhang, Q.-L., 194
Zhu, M.-L., 31
Zoroddu, M.A., 315

Elsevier Science Inc.
doi:10.1016/S0162-0134(03)00226-5

ELSEVIER

Journal of Inorganic Biochemistry 95 (2003) 345–349

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Subject Index of Volume 95

Activation free energy
studies on the interaction between Ag^+ and human serum albumin, 124
Ag(I)–serum albumin
studies on the interaction between Ag^+ and human serum albumin, 124
Altromycin B
studies on the interaction of altromycin B and its platinum(II) and palladium(II) metal complexes with calf thymus DNA and nucleotides, 177
Alzheimer's disease
coordination abilities of the 1–16 and 1–28 fragments of β-amyloid peptide towards copper(II) ions: a combined potentiometric and spectroscopic study, 270
N,*N*′-di-(2-aminoethyl)-1,3-diamino-2-propanol
synthesis, characterization, cytotoxic activity, and cellular accumulation of dinuclear platinum complexes derived from *N*,*N*′-di-(2-aminoethyl)-1,3-diamino-2-propanol, aryl substituted *N*-benzyl-1,4-butanediamines, and *N*-benzyl-1,6-hexanediamines, 297
β-Amyloid peptide fragments
coordination abilities of the 1–16 and 1–28 fragments of β-amyloid peptide towards copper(II) ions: a combined potentiometric and spectroscopic study, 270
Angiotensin II
the structure of the Ce(III)–Angiotensin II complex as obtained from NMR data and molecular dynamics calculations, 225
Anti-tumor drugs
platinum(II) catalysis and radical intervention in reductions of platinum(IV) antitumor drugs by ascorbic acid, 231
Antibacterial activity
interactions of oxovanadium(IV) and the quinolone family member—ciprofloxacin, 199
Anticancer activity
transition metal complexes of phenanthrenequinone thiosemicarbazone as potential anticancer agents: synthesis, structure, spectroscopy, electrochemistry and in vitro anticancer activity against human breast cancer cell-line, T47D, 306
Anticancer agents
synthesis, characterization, cytotoxic activity, and cellular accumulation of dinuclear platinum complexes derived from *N*,*N*′-di-(2-aminoethyl)-1,3-diamino-2-propanol, aryl substituted *N*-benzyl-1,4-butanediamines, and *N*-benzyl-1,6-hexanediamines, 297
Anticancer antibiotics
studies on the interaction of altromycin B and its platinum(II) and palladium(II) metal complexes with calf thymus DNA and nucleotides, 177
Antimalarial
transition metal complexes of buparvaquone as potent new antimalarial agents, 249
Antimicrobial activities against Gram-positive bacteria
ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of [Au(2-Hmpa)(PPh_3)] and [Au(6-Hmna)(PPh_3)] (2-H_2mpa=2-mercaptopropionic acid, 6-H_2mna=6-mercaptonicotinic acid), 208
Antioxidant drug
carvedilol, a β adrenoceptor blocker with chelating properties. A copper 'superdimer' based on dimetal units, 315
Antioxidant
synthesis and in vitro antioxidant properties of manganese(III) β-octabromo-*meso*-tetrakis(4-carboxyphenyl)porphyrin, 240
Antitumor activity
synthesis, characterization and antitumor activity of platinum(II) complexes with diethyl and monoethyl 2-quinolylmethylphosphonates, 259
Association constant
Ca^{2+} and Na^+ binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Atherosclerosis
copper–homocysteine complexes and potential physiological actions, 321
Axial ligand
cyanide binding study of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate binding site, 25
N-Benzyl-1,4-butanediamine
synthesis, characterization, cytotoxic activity, and cellular accumulation of dinuclear platinum complexes derived from *N*,*N*′-di-(2-aminoethyl)-1,3-diamino-2-propanol, aryl substituted *N*-benzyl-1,4-butanediamines, and *N*-benzyl-1,6-hexanediamines, 297
N-Benzyl-1,6-hexanediamine
synthesis, characterization, cytotoxic activity, and cellular accumulation of dinuclear platinum complexes derived from *N*,*N*′-di-(2-aminoethyl)-1,3-diamino-2-propanol, aryl substituted *N*-benzyl-1,4-butanediamines, and *N*-benzyl-1,6-hexanediamines, 297
Biological studies
molecular structure, solution chemistry and biological properties of the novel [ImH][*trans*-$IrCl_4$(Im)(DMSO)], (**I**) and of the orange form of [$(DMSO)_2$H][*trans*-$IrCl_4(DMSO)_2$], (**II**), complexes, 37
Blood serum
chemical speciation of insulinomimetic VO(IV) complexes of pyridine-N-oxide derivatives: binary and ternary systems, 69
Budotitane
isomer abundance of bis(β-diketonato) complexes of titanium(IV). Crystal structures of the antitumor compound budotitane [$Ti^{IV}(bzac)_2(OEt)_2$] and of its dichloro-derivative [$Ti^{IV}(bzac)_2Cl_2$] (bzac=1-phenylbutane-1,3-dionate), 97
Buparvaquone
transition metal complexes of buparvaquone as potent new antimalarial agents, 249
Cadmium
effect of cadmium and zinc ethanolamine complexes on rat brain monoamine oxidase-B activity in vitro, 141

Elsevier Science Inc.
doi:10.1016/S0162-0134(03)00227-7

Calcein
the intracellular iron sensor calcein is catalytically oxidatively degraded by iron(II) in a hydrogen peroxide-dependent reaction, 157
Calcium
Ca^{2+} and Na^{+} binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Cancer chemotherapy
isomer abundance of bis(β-diketonato) complexes of titanium(IV). Crystal structures of the antitumor compound budotitane $[Ti^{IV}(bzac)_2(OEt)_2]$ and of its dichloro-derivative $[Ti^{IV}(bzac)_2Cl_2]$ (bzac=1-phenylbutane-1,3-dionate), 97
Cancer treatment
platinum(II) catalysis and radical intervention in reductions of platinum(IV) antitumor drugs by ascorbic acid, 231
Capillary electrophoresis
Ca^{2+} and Na^{+} binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Carvedilol
carvedilol, a β adrenoceptor blocker with chelating properties. A copper 'superdimer' based on dimetal units, 315
Catalyzed reduction
platinum(II) catalysis and radical intervention in reductions of platinum(IV) antitumor drugs by ascorbic acid, 231
Ca^{2+} binding
Ca^{2+} and Na^{+} binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Cerium(III)
the structure of the Ce(III)–Angiotensin II complex as obtained from NMR data and molecular dynamics calculations, 225
Characterisation
the preparation, characterisation and in vitro cytotoxicity of potentially chemotherapeutic heterobimetallic complexes containing early and late transition metals, 149
Chelating
carvedilol, a β adrenoceptor blocker with chelating properties. A copper 'superdimer' based on dimetal units, 315
Chelator
the intracellular iron sensor calcein is catalytically oxidatively degraded by iron(II) in a hydrogen peroxide-dependent reaction, 157
Chemical speciation
speciation study of the anti-inflammatory drug tenoxicam (Htenox) with Cu(II): X-ray crystal structure of $[Cu(tenox)_2(py)_2]\cdot EtOH$, 131
Chemotherapeutic heterobimetallic complexes
the preparation, characterisation and in vitro cytotoxicity of potentially chemotherapeutic heterobimetallic complexes containing early and late transition metals, 149
Chitosan
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Chlorophenol
oxidation of 2,4-dichlorophenol catalyzed by horseradish peroxidase: characterization of the reaction mechanism by UV–visible spectroscopy and mass spectrometry, 171
Chromium(III)
synthesis, characterization and binding studies of chromium(III) complex containing an intercalating ligand with DNA, 334
Ciprofloxacin
interactions of oxovanadium(IV) and the quinolone family member—ciprofloxacin, 199
Cobalt(III) complex
a functionalized cobalt(III) mixed-polypyridyl complex as a newly designed DNA molecular light switch, 194
Collagen
effect of zirconium(IV) complexes on the thermal and enzymatic stability of type I collagen, 47
Conformation transition
studies on the interaction between Ag^{+} and human serum albumin, 124
Conformational change
effect of zirconium(IV) complexes on the thermal and enzymatic stability of type I collagen, 47
synthesis, characterization and binding studies of chromium(III) complex containing an intercalating ligand with DNA, 334
Coordination analysis
studies on the interaction between Ag^{+} and human serum albumin, 124
Copper(II) complexes
coordination abilities of the 1–16 and 1–28 fragments of β-amyloid peptide towards copper(II) ions: a combined potentiometric and spectroscopic study, 270
speciation study of the anti-inflammatory drug tenoxicam (Htenox) with Cu(II): X-ray crystal structure of $[Cu(tenox)_2(py)_2]\cdot EtOH$, 131
Copper
copper–homocysteine complexes and potential physiological actions, 321
interactions of nitric oxide with copper(II) dithiocarbamates in aqueous solution, 283
stoichiometric preference in copper-promoted oxidative DNA damage by ochratoxin A, 87
transition metal complexes of buparvaquone as potent new antimalarial agents, 249
Crystal structure
crystal structure and nuclease activity of mono(1,10-phenanthroline) copper complex, 31
speciation study of the anti-inflammatory drug tenoxicam (Htenox) with Cu(II): X-ray crystal structure of $[Cu(tenox)_2(py)_2]\cdot EtOH$, 131
Cu(II)
carvedilol, a β adrenoceptor blocker with chelating properties. A copper 'superdimer' based on dimetal units, 315
Cyanide
cyanide binding study of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate binding site, 25
Cytotoxicity
Pt(II) complexes with *N*-(3-pyridyl)-2-(4-(trifluoromethyl)phenyl)diazenecarboxamide and their reactions with glutathione, 105
DFT
potentiometric, spectrophotometric and density functional study of the interaction of *N*-hydroxyacetamide with oxovanadium(IV): the influence of ligand to the V(IV)/V(V) oxi-reduction reaction, 14
DNA cleavage
crystal structure and nuclease activity of mono(1,10-phenanthroline) copper complex, 31
DNA interaction
studies on the interaction of altromycin B and its platinum(II) and palladium(II) metal complexes with calf thymus DNA and nucleotides, 177
DNA
a functionalized cobalt(III) mixed-polypyridyl complex as a newly designed DNA molecular light switch, 194
Determination
determination of ferric heme-human serum albumin by ^{1}H NMR relaxometry, 64
Diapedesis
copper–homocysteine complexes and potential physiological actions, 321
Diazenes
Pt(II) complexes with *N*-(3-pyridyl)-2-(4-(trifluoromethyl)phenyl)diazenecarboxamide and their reactions with glutathione, 105

Dinuclear platinum complexes
synthesis, characterization, cytotoxic activity, and cellular accumulation of dinuclear platinum complexes derived from *N,N'*-di-(2-aminoethyl)-1,3-diamino-2-propanol, aryl substituted *N*-benzyl-1,4-butanediamines, and *N*-benzyl-1,6-hexanediamines, 297
Diphenyleneiodonium chloride
synthesis and in vitro antioxidant properties of manganese(III) β-octabromo-*meso*-tetrakis(4-carboxyphenyl)porphyrin, 240
Dissociation constants
oxidation of 2,4-dichlorophenol catalyzed by horseradish peroxidase: characterization of the reaction mechanism by UV–visible spectroscopy and mass spectrometry, 171
Dithiocarbamate
interactions of nitric oxide with copper(II) dithiocarbamates in aqueous solution, 283
Drug interaction
the interaction of metal ions and Marimastat with matrix metalloproteinase 9, 165
Dynamic light scattering
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
EPR
vanadium(IV/V) speciation of pyridine-2,6-dicarboxylic acid and 4-hydroxy-pyridine-2,6-dicarboxylic acid complexes: potentiometry, EPR spectroscopy and comparison across oxidation states, 1
Early/late transition metals
the preparation, characterisation and in vitro cytotoxicity of potentially chemotherapeutic heterobimetallic complexes containing early and late transition metals, 149
Electrochemistry
transition metal complexes of buparvaquone as potent new antimalarial agents, 249
Electron microscopy
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Enzyme inhibition
the interaction of metal ions and Marimastat with matrix metalloproteinase 9, 165
Equilibrium constant
studies on the interaction between Ag^+ and human serum albumin, 124
Ferric heme-human serum albumin
determination of ferric heme-human serum albumin by ^1H NMR relaxometry, 64
Ferritin
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Fluorescence
the intracellular iron sensor calcein is catalytically oxidatively degraded by iron(II) in a hydrogen peroxide-dependent reaction, 157
Glutathione
Pt(II) complexes with *N*-(3-pyridyl)-2-(4-(trifluoromethyl)phenyl)diazenecarboxamide and their reactions with glutathione, 105
Gold(I) complexes
ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of $[Au(2\text{-}Hmpa)(PPh_3)]$ and $[Au(6\text{-}Hmna)(PPh_3)]$ ($2\text{-}H_2mpa$=2-mercaptopropionic acid, $6\text{-}H_2mna$=6-mercaptonicotinic acid), 208
HPLC
synthesis and in vitro antioxidant properties of manganese(III) β-octabromo-*meso*-tetrakis(4-carboxyphenyl)porphyrin, 240
Homocysteine
copper–homocysteine complexes and potential physiological actions, 321
Horseradish peroxidase
oxidation of 2,4-dichlorophenol catalyzed by horseradish peroxidase: characterization of the reaction mechanism by UV–visible spectroscopy and mass spectrometry, 171
Hydroxamic acid
potentiometric, spectrophotometric and density functional study of the interaction of *N*-hydroxyacetamide with oxovanadium(IV): the influence of ligand to the V(IV)/V(V) oxi-reduction reaction, 14
Hydroxo-bridged copper (II) complex
crystal structure and nuclease activity of mono(1,10-phenanthroline) copper complex, 31
Hydroxyapatite
interaction of acidic poly-amino acids with octacalcium phosphate, 291
IR spectroscopy
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
In vitro cytotoxicity
the preparation, characterisation and in vitro cytotoxicity of potentially chemotherapeutic heterobimetallic complexes containing early and late transition metals, 149
Infrared
synthesis, characterization and antitumor activity of platinum(II) complexes with diethyl and monoethyl 2-quinolylmethylphosphonates, 259
Insulin-mimetic VO(IV)
chemical speciation of insulinomimetic VO(IV) complexes of pyridine-N-oxide derivatives: binary and ternary systems, 69
Insulin-mimetics
vanadium(IV/V) speciation of pyridine-2,6-dicarboxylic acid and 4-hydroxy-pyridine-2,6-dicarboxylic acid complexes: potentiometry, EPR spectroscopy and comparison across oxidation states, 1
Intercalator
synthesis, characterization and binding studies of chromium(III) complex containing an intercalating ligand with DNA, 334
Iridium(III) complexes
molecular structure, solution chemistry and biological properties of the novel $[ImH][trans\text{-}IrCl_4(Im)(DMSO)]$, (**I**) and of the orange form of $[(DMSO)_2H][trans\text{-}IrCl_4(DMSO)_2]$, (**II**), complexes, 37
Iron bioavailability
metal chelates of 2-hydroxy-4-methylthiobutanoic acid in animal feeding: preliminary investigations on stability and bioavailability, 221
Iron(III)
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Iron
the intracellular iron sensor calcein is catalytically oxidatively degraded by iron(II) in a hydrogen peroxide-dependent reaction, 157
Isomer distribution
isomer abundance of bis(β-diketonato) complexes of titanium(IV). Crystal structures of the antitumor compound budotitane $[Ti^{IV}(bzac)_2(OEt)_2]$ and of its dichloro-derivative $[Ti^{IV}(bzac)_2Cl_2]$ (bzac=1-phenylbutane-1,3-dionate), 97
α-Lactalbumin
Ca^{2+} and Na^+ binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Ligand-exchangeability
ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of

[Au(2-Hmpa)(PPh_3)] and [Au(6-Hmna)(PPh_3)] (2-H_2mpa=2-mercaptopropionic acid, 6-H_2mna=6-mercaptonicotinic acid), 208
Manganese
synthesis and in vitro antioxidant properties of manganese(III) β-octabromo-*meso*-tetrakis(4-carboxyphenyl)porphyrin, 240
Marimastat
the interaction of metal ions and Marimastat with matrix metalloproteinase 9, 165
Matrix metalloproteinase
the interaction of metal ions and Marimastat with matrix metalloproteinase 9, 165
2-Mercaptopropionic acid
ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of [Au(2-Hmpa)(PPh_3)] and [Au(6-Hmna)(PPh_3)] (2-H_2mpa=2-mercaptopropionic acid, 6-H_2mna=6-mercaptonicotinic acid), 208
6-Mercaptonicotinic acid
ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of [Au(2-Hmpa)(PPh_3)] and [Au(6-Hmna)(PPh_3)] (2-H_2mpa=2-mercaptopropionic acid, 6-H_2mna=6-mercaptonicotinic acid), 208
Metal chelates
metal chelates of 2-hydroxy-4-methylthiobutanoic acid in animal feeding: preliminary investigations on stability and bioavailability, 221
Metal complexes
transition metal complexes of phenanthrenequinone thiosemicarbazone as potential anticancer agents: synthesis, structure, spectroscopy, electrochemistry and in vitro anticancer activity against human breast cancer cell-line, T47D, 306
Metastasis
the interaction of metal ions and Marimastat with matrix metalloproteinase 9, 165
Methionine hydroxy-analogue
metal chelates of 2-hydroxy-4-methylthiobutanoic acid in animal feeding: preliminary investigations on stability and bioavailability, 221
Molecular light switch
a functionalized cobalt(III) mixed-polypyridyl complex as a newly designed DNA molecular light switch, 194
Monoamine oxidase-B activity
effect of cadmium and zinc ethanolamine complexes on rat brain monoamine oxidase-B activity in vitro, 141
Na^+ binding
Ca^{2+} and Na^+ binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Nanostructure
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Nitric oxide
interactions of nitric oxide with copper(II) dithiocarbamates in aqueous solution, 283
Nitric oxide synthase
cyanide binding study of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate binding site, 25
NMR
Pt(II) complexes with *N*-(3-pyridyl)-2-(4-(trifluoromethyl)phenyl)diazenecarboxamide and their reactions with glutathione, 105
^{1}H NMR
synthesis, characterization and antitumor activity of platinum(II) complexes with diethyl and monoethyl 2-quinolylmethylphosphonates, 259
^{1}H NMR relaxometry
determination of ferric heme-human serum albumin by ^{1}H NMR relaxometry, 64
Nuclear magnetic resonance (NMR)
the structure of the Ce(III)–Angiotensin II complex as obtained from NMR data and molecular dynamics calculations, 225
Nucleotides
studies on the interaction of altromycin B and its platinum(II) and palladium(II) metal complexes with calf thymus DNA and nucleotides, 177
Ochratoxin A
stoichiometric preference in copper-promoted oxidative DNA damage by ochratoxin A, 87
Octacalcium phosphate
interaction of acidic poly-amino acids with octacalcium phosphate, 291
Optical absorption
cyanide binding study of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate binding site, 25
Oxidative DNA damage
stoichiometric preference in copper-promoted oxidative DNA damage by ochratoxin A, 87
Oxovanadium(IV)
interactions of oxovanadium(IV) and the quinolone family member—ciprofloxacin, 199
Oxygen radical
the intracellular iron sensor calcein is catalytically oxidatively degraded by iron(II) in a hydrogen peroxide-dependent reaction, 157
PH-dependence
oxidation of 2,4-dichlorophenol catalyzed by horseradish peroxidase: characterization of the reaction mechanism by UV–visible spectroscopy and mass spectrometry, 171
PH-potentiometry
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Palladium and platinum complexes
studies on the interaction of altromycin B and its platinum(II) and palladium(II) metal complexes with calf thymus DNA and nucleotides, 177
Paramagnetic probe
the structure of the Ce(III)–Angiotensin II complex as obtained from NMR data and molecular dynamics calculations, 225
Phenanthroline
crystal structure and nuclease activity of mono(1,10-phenanthroline) copper complex, 31
1,10-Phenanthroline
synthesis, structure and nuclease properties of several ternary copper(II) peptide complexes with 1,10-phenanthroline, 77
9,10-Phenanthrenequinone
transition metal complexes of phenanthrenequinone thiosemicarbazone as potential anticancer agents: synthesis, structure, spectroscopy, electrochemistry and in vitro anticancer activity against human breast cancer cell-line, T47D, 306
Platinum (II) catalysis
platinum(II) catalysis and radical intervention in reductions of platinum(IV) antitumor drugs by ascorbic acid, 231
Platinum amine complexes
platinum(II) catalysis and radical intervention in reductions of platinum(IV) antitumor drugs by ascorbic acid, 231
Platinum(II) complex
synthesis, characterization and antitumor activity of platinum(II) complexes with diethyl and monoethyl 2-quinolylmethylphosphonates, 259
Platinum
Pt(II) complexes with *N*-(3-pyridyl)-2-(4-(trifluoromethyl)phenyl)diazenecarboxamide and their reactions with glutathione, 105

Poly-L-aspartate
interaction of acidic poly-amino acids with octacalcium phosphate, 291
Poly-L-glutamate
interaction of acidic poly-amino acids with octacalcium phosphate, 291
Polysaccharides
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
Porphyrin
synthesis and in vitro antioxidant properties of manganese(III) β-octabromo-*meso*-tetrakis(4-carboxyphenyl)porphyrin, 240
Proteinase K
Ca^{2+} and Na^{+} binding to high affinity sites of calcium-containing proteins measured by capillary electrophoresis, 113
Quinolylmethylphosphonate complex
synthesis, characterization and antitumor activity of platinum(II) complexes with diethyl and monoethyl 2-quinolylmethylphosphonates, 259
Rat brain
effect of cadmium and zinc ethanolamine complexes on rat brain monoamine oxidase-B activity in vitro, 141
Rat tail tendon (RTT)
effect of zirconium(IV) complexes on the thermal and enzymatic stability of type I collagen, 47
Redox simulation
potentiometric, spectrophotometric and density functional study of the interaction of *N*-hydroxyacetamide with oxovanadium(IV): the influence of ligand to the V(IV)/V(V) oxi-reduction reaction, 14
Site-directed mutagenesis
cyanide binding study of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate binding site, 25
Solution equilibria
interactions of oxovanadium(IV) and the quinolone family member—ciprofloxacin, 199
Solution speciation
vanadium(IV/V) speciation of pyridine-2,6-dicarboxylic acid and 4-hydroxy-pyridine-2,6-dicarboxylic acid complexes: potentiometry, EPR spectroscopy and comparison across oxidation states, 1
Speciation
chemical speciation of insulinomimetic VO(IV) complexes of pyridine-N-oxide derivatives: binary and ternary systems, 69
Spectroscopic studies
coordination abilities of the 1–16 and 1–28 fragments of β-amyloid peptide towards copper(II) ions: a combined potentiometric and spectroscopic study, 270
Stability constants
coordination abilities of the 1–16 and 1–28 fragments of β-amyloid peptide towards copper(II) ions: a combined potentiometric and spectroscopic study, 270
Superoxide dismutase (SOD) mimic
synthesis and in vitro antioxidant properties of manganese(III) β-octabromo-*meso*-tetrakis(4-carboxyphenyl)porphyrin, 240
Synthesis
molecular structure, solution chemistry and biological properties of the novel [ImH][*trans*-$IrCl_4$(Im)(DMSO)], (**I**) and of the orange form of [$(DMSO)_2$H][*trans*-$IrCl_4(DMSO)_2$], (**II**), complexes, 37
T47D breast cancer cells
transition metal complexes of phenanthrenequinone thiosemicarbazone as potential anticancer agents: synthesis, structure, spectroscopy, electrochemistry and in vitro anticancer activity against human breast cancer cell-line, T47D, 306
Tenoxicam
speciation study of the anti-inflammatory drug tenoxicam (Htenox) with Cu(II): X-ray crystal structure of [$Cu(tenox)_2(py)_2$]·EtOH, 131
Ternary peptide copper complexes
synthesis, structure and nuclease properties of several ternary copper(II) peptide complexes with 1,10-phenanthroline, 77
Thiosemicarbazone
transition metal complexes of phenanthrenequinone thiosemicarbazone as potential anticancer agents: synthesis, structure, spectroscopy, electrochemistry and in vitro anticancer activity against human breast cancer cell-line, T47D, 306
VO(IV) complexes
chemical speciation of insulinomimetic VO(IV) complexes of pyridine-N-oxide derivatives: binary and ternary systems, 69
VO^{2+}
potentiometric, spectrophotometric and density functional study of the interaction of *N*-hydroxyacetamide with oxovanadium(IV): the influence of ligand to the V(IV)/V(V) oxi-reduction reaction, 14
Vanadium complexes
vanadium(IV/V) speciation of pyridine-2,6-dicarboxylic acid and 4-hydroxy-pyridine-2,6-dicarboxylic acid complexes: potentiometry, EPR spectroscopy and comparison across oxidation states, 1
Viscometry
formation of spherical iron(III) oxyhydroxide nanoparticles sterically stabilized by chitosan in aqueous solutions, 55
X-Ray diffraction
interaction of acidic poly-amino acids with octacalcium phosphate, 291
X-ray crystal structures
ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of [Au(2-Hmpa)(PPh_3)] and [Au(6-Hmna)(PPh_3)] (2-H_2mpa=2-mercaptopropionic acid, 6-H_2mna=6-mercaptonicotinic acid), 208
X-ray structure
interactions of oxovanadium(IV) and the quinolone family member—ciprofloxacin, 199
X-ray structures
molecular structure, solution chemistry and biological properties of the novel [ImH][*trans*-$IrCl_4$(Im)(DMSO)], (**I**) and of the orange form of [$(DMSO)_2$H][*trans*-$IrCl_4(DMSO)_2$], (**II**), complexes, 37
Zinc ethanolamine
effect of cadmium and zinc ethanolamine complexes on rat brain monoamine oxidase-B activity in vitro, 141
Zirconium
effect of zirconium(IV) complexes on the thermal and enzymatic stability of type I collagen, 47